ELSEVIER

Biomembranes

Vol. 1190, 1994

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors vii

Regular Papers

Time-resolved polarized fluorescence studies of the temperature adaptation in *Bacillus subtilis* using DPH and TMA-DPH fluorescent probes
P. Heřman, I. Konopásek, J. Plášek and J. Svobodová (Czech Republic) 1

Convex-concave curvatures in bilayers of dipalmitoylphosphatidylcholine and cholesterol induced by amphotericin B/deoxycholate after prolonged storage
H.W. Meyer, W. Richter and G. Brezesinski (Germany) 9

Involvement of essential histidine residue(s) in the activity of Ehrlich cell plasma membrane NADH–ferricyanide oxidoreductase
M.A. Medina, A. Del Castillo-Olivares, J. Márquez and I. Núñez de Castro (Spain) 20

Polymorphic phase behavior of perfluoroalkylated phosphatidylcholines
C. Santaella, P. Vierling, J.G. Riess, T. Gulik-Krzywicki, A. Gulik and B. Monasse (France) 25

Specific changes in nucleotide and lipid synthesis are linked to growth defects in intramitochondrial energy-depleted yeast cells
I. Hapala, B. Hunáková, G. Gerzaničová and P. Butko (Slovak Republic, Canada) 40

Small lipid-soluble cations are not membrane voltage probes for *Neurospora* or *Saccharomyces*
A. Ballarin-Denti, C.L. Slayman and H. Kuroda (USA) 43

Cation effluxes associated with the uptake of TPP^+, TPA^+, and $TPMP^+$ by *Neurospora*: evidence for a predominantly electroneutral influx process
C.L. Slayman, H. Kuroda and A. Ballarin-Denti (USA) 57

Interaction of multidrug-resistant Chinese hamster ovary cells with the peptide ionophore gramicidin D
D.W. Loe and F.J. Sharom (Canada) 72

Changes in the permeation rate of organic anions through the intestinal brush-border membrane with membrane surface potential
M. Sugawara, A. Hashimoto, T. Toda, M. Takahashi, M. Kobayashi, K. Iseki and K. Miyazaki (Japan) 85

Arrangement of phosphatidylethanolamine molecular species in *Escherichia coli* membranes and reconstituted lipids as determined by dimethyl suberimidate cross-linking of nearest neighbor lipids
M.R. Roth and R. Welti (USA) 91

Effect of liposome size on the circulation time and intraorgan distribution of amphipathic poly(ethylene glycol)-containing liposomes
D.C. Litzinger, A.M.J. Buiting, N. Van Rooijen and L. Huang (USA, The Netherlands) 99

Different sensitivities of the Na^+/K^+-ATPase isoforms to oxidants
W.-h. Huang, Y. Wang, A. Askari, N. Zolotarjova and M. Ganjeizadeh (USA) 108

Polymorphism in stratum corneum lipids
B. Ongpipattanakul, M.L. Francoeur and R.O. Potts (USA) 115

Free radical reactions of MTDQ and its effect on biological membrane
J. Belágyi, B. Török and L. Pótó (Hungary) 123

Membrane admittance of cloned muscle cells in culture: use of a micropipet technique
K. Asami and S. Takashima (USA) 129

Regulation by gangliosides and sulfatides of phospholipase A_2 activity against dipalmitoyl- and dilauroylphosphatidylcholine in small unilamellar bilayer vesicles and mixed monolayers
B. Maggio, I.D. Bianco, G.G. Montich, G.D. Fidelio and R.K. Yu (USA, Argentina) 137

Effects of parathion on membrane organization and its implications for the mechanisms of toxicity
M.C. Antunes-Madeira, R.A. Videira and V.M.C. Madeira (Portugal) 149

Electropermeabilization of cells in tissues assessed by the qualitative and quantitative electroloading of bleomycin
J. Belehradek Jr., S. Orlowski, L.H. Ramirez, G. Pron, B. Poddevin and L.M. Mir (France) 155

In vitro oxygenation of soybean biomembranes by lipoxygenase-2
M. Maccarrone, P.G.M. Van Aarle, G.A. Veldink and J.F.G. Vliegenthart (Netherlands) 164

Release of GPI-anchored membrane aminopeptidase P by enzymes and detergents has some peculiarities
R. Koelsch, S. Gottwald and J. Lasch (Germany) 170

Rapid Reports

Endogenous hepoxilin A_3, produced under short duration of high shear-stress, inhibits thrombin-induced aggregation in human platelets
A. Margalit and Y. Granot (Israel) 173

Phospholipase-like myotoxins induce rapid membrane leakage of non-hydrolyzable ether-lipid liposomes
J.Z. Pedersen, B.F. De Arcuri, R.D. Morero and S. Rufini (Italy, Argentina) 177

Cooperative membrane insertion of magainin correlated with its cytolytic activity
S.J. Ludtke, K. He, Y. Wu and H.W. Huang (USA) 181

The in situ size of the dopamine transporter is a tetramer as estimated by radiation inactivation
H.E. Milner, R. Béliveau and S.M. Jarvis (UK, Canada) 185

Short Sequence-Papers

Primary structure of avian H^+/K^+-ATPase β-subunit
H. Yu, T. Ishii, W.R. Pearson and K. Takeyasu (USA) 189

Cloning, sequencing and expression of cDNA encoding an insect V-ATPase subunit E
R. Gräf, W.R. Harvey and H. Wieczorek (Germany, USA) 193

Erratum 197

Regular Papers

Modulation of GTP-dependent fusion by linoleic and arachidonic acid in derivatives of rough endoplasmic reticulum from rat liver
J. Paiement, C. Lavoie, G.R. Gavino and V.C. Gavino (Canada) 199

Purification of the rat-liver mitochondrial dicarboxylate carrier by affinity chromatography on immobilized malate dehydrogenase
J. Lançar-Benba, B. Foucher and M. Saint-Macary (France) 213

Correlation between inhibition of cytoskeleton proteolysis and anti-vesiculation effect of calpeptin during A23187-induced activation of human platelets: are vesicles shed by filopod fragmentation?
F. Bassé, P. Gaffet and A. Bienvenüe (France) 217

Transport properties of Asp-51 → Glu and Asp-120 → Glu mutants of the melibiose carrier of *Escherichia coli*
D.M. Wilson and T.H. Wilson (USA) 225

Influence of the lipid matrix on incorporation and function of LPS-free porin from *Paracoccus denitrificans*
A. Wiese, G. Schröder, K. Brandenburg, A. Hirsch, W. Welte and U. Seydel (Germany) 231

Phosphatidylserine headgroup diastereomers translocate equivalently across human erythrocyte membranes
M.P. Hall and W.H. Huestis (USA) 243

Activation of osmotically-activated potassium transporters after injection of mRNA from A6 cells in *Xenopus* oocytes
F.G. Ratcliff and J. Ehrenfeld (France) 248

Internal Ca^{2+} ions inactivate and modify ATP-sensitive potassium channels in adult mouse skeletal muscle
S. Hehl, C. Moser, R. Weik and B. Neumcke (Germany) 257

Diacylglycerol, phosphatidylserine and Ca^{2+}: a phase behavior study
F. López-García, J. Villalaín and J.C. Gómez-Fernández (Spain) 264

Mutational analysis of the COOH-terminal hydrophobic domain of bovine liver 5′-nucleotidase as a signal for glycosylphosphatidylinositol (GPI) anchor attachment
Y. Furukawa, H.-o. Tamura and H. Ikezawa (Japan) 273

A comparative study on the uptake of α-aminoisobutyric acid by normal and immortalized human embryonic kidney cells from proximal tubule
H. Jessen, H. Røigaard, S. Riahi-Esfahani and C. Jacobsen (Denmark) 279

Immunodetection and characterization of proteins implicated in renal sodium/phosphate cotransport
M.-C. Delisle, C. Boyer, V. Vachon, S. Giroux and R. Béliveau (Canada) 289

Binding of naturally occurring antibodies to oxidatively and nonoxidatively modified erythrocyte band 3
F. Turrini, F. Mannu, M. Cappadoro, D. Ulliers, G. Giribaldi and P. Arese (Italy) 297

Effect of mitochondrial protein concentration on the efficiency of outer membrane removal by the cholesterol-selective detergent digitonin
C.S. Boyer, E.P.A. Neve, G.A. Moore and P. Moldéus (Sweden) 304

Oleic acid inhibition of Na^+/D-glucose transport in isolated renal brush-border membranes: role of lipid physical parameters and *trans* Na^+-inhibition
S. Wagner, K. Wenzel-Seifert, L. Volbracht, D. Sorgenfrei and H. Ebel (Germany) 309

Charge- and pH-dependent binding sites for dibucaine in ionic micelles: a fluorescence study
S.R.W. Louro, O.R. Nascimento and M. Tabak (Brazil) 319

Regulation of calmodulin binding to the ATP extractable 110 kDa protein (myosin I) from chicken duodenal brush border by 1,25-$(OH)_2D_3$
R. Kaune, S. Munson and D.D. Bikle (USA) 329

Induction of secondary structure in the peptide hormone motilin by interaction with phospholipid vesicles
B.-M. Backlund, G. Wikander, T.L. Peeters and A. Gräslund (Sweden, Belgium) 337

Accelerated net efflux of 3-*O*-methylglucose from rat adipocytes: a reevaluation
T.J. Wheeler (USA) 345

In situ hybridization of mRNA for the gastric H^+,K^+-ATPase in rat oxyntic mucosa
K. Bamberg, S. Nylander, K.G. Helander, L.G. Lundberg, G. Sachs and H.F. Helander (Sweden, USA) 355

On the validity of lipid dequenching assays for estimating virus fusion kinetics
A. Arbuzova, T. Korte, P. Müller and A. Herrmann (Germany) 360

Acyl chain length effects related to glycosphingolipid crypticity in phospholipid membranes: probed by ^{2}H-NMR
K.S. Hamilton, K. Briere, H.C. Jarrell and C.W.M. Grant (Canada, Canada) 367

Behaviour of complex oligosaccharides at a bilayer membrane surface: probed by ^{2}H-NMR
K.R. Barber, K.S. Hamilton, A.C. Rigby and C.W.M. Grant (Canada) 376

The structural differences between the embryos of viable and nonviable wheat seeds as studied with the EPR spectroscopy of lipid-soluble spin labels
E.A. Golovina and A.N. Tikhonov (Russia) 385

Interaction of merocyanine 540 with nicotinic acetylcholine receptor membranes from *Discopyge tschudii* electric organ
H.R. Arias, S. Alonso-Romanowski, E.A. Disalvo and F.J. Barrantes (Argentina) 393

Potent and reversible interaction of silver with pure Na,K-ATPase and Na,K-ATPase-liposomes
S. Hussain, E. Meneghini, M. Moosmayer, D. Lacotte and B.M. Anner (Switzerland) 402

Lipid and protein composition of exovesicles released from human erythrocytes following treatment with amphiphiles
H. Hägerstrand and B. Isomaa (Finland) 409

Packing of a triacylglucolipid from the membrane of *Acholeplasma laidlawii* strain A at the air/water interface
R. Demel, G. Lindblom and L. Rilfors (The Netherlands, Sweden) 416

Local anesthetics destabilize lipid membranes by breaking hydration shell: infrared and calorimetry studies
I. Ueda, J.-S. Chiou, P.R. Krishna and H. Kamaya (USA) 421

Tripeptide transport in rat lung
P.A. Helliwell, D. Meredith, C.A.R. Boyd, J.R. Bronk, N. Lister and P.D. Bailey (UK) 430

Effect of sterol side-chain structure on sterol–phosphatidylcholine interactions in monolayers and small unilamellar vesicles
J.P. Slotte, M. Jungner, C. Vilchèze and R. Bittman (Finland, USA) 435

Inhibition by cyclic AMP and phorbol esters of sodium-dependent uptake of phosphate by rat hepatocytes
M.J. Younus, K. Jouhal and P.J. Butterworth (UK) 444

Differential effects of brefeldin A on hormonally regulated Na^+ transport in a model renal epithelial cell line
B. Coupaye-Gerard, H.J. Kim, A. Singh and B.L. Blazer-Yost (USA) 449

The effects of drugs on the incorporation of a conformationally-sensitive, hydrophobic probe into the ion channel of the nicotinic acetylcholine receptor
M.A. Moore and M.P. McCarthy (USA) 457

Short Sequence-Papers

Cloning and sequencing of an Na^+/H^+ antiporter gene from the marine bacterium *Vibrio alginolyticus*
T. Nakamura, Y. Komano, E. Itaya, K. Tsukamoto, T. Tsuchiya and T. Unemoto (Japan) 465

cDNA sequence for rkST1, a novel member of the sodium ion-dependent glucose cotransporter family
K. Hitomi and N. Tsukagoshi (Japan) 469

Cumulative Contents, Vol. 1190 473

Author Index 477